XL Hand Brush, 230 mm, Very hard, Red







A favorite of the meat and dairy industries, our updated XL Hand Brush makes a big impact thanks to its size and stiff bristles. When you need to clean bigger surface areas with hard-to-reach corners or crevices, this large scrub brush may be the tool you need.

This sturdy brush is made of a solid 29 mm block. The "butterfly" shape of the block has been designed to give users a better, more ergonomically friendly grip. The brush sits flush against most users' hands, making it comfortable and easy to hold even while dealing with cleaning chemicals and wet or greasy hands.

Like all brushes in our Hygiene range, the Vikan XL Hand Brush is designed to be used in areas where cleanliness and sanitation matter most, making it ideal for the food processing industry. The smooth surface finish, lack of sharp angles, and sloped drainable hanging hole all make it easy to clean and store.

Whether you're cleaning tanks, tables, conveyor belts, or buckets, the XL Hand Brush with Very Stiff Bristles can help you get the job done quickly and effectively.

Technical Data

Visible bristle length 38 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation! CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Not Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.005 kg	Item Number	38944
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes	Bristle stiffness	Very hard
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with California Proposition 65 Yes Complies with Halal and Kosher FAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Box Length 378 mm Box Width 283 mm Box Width 283 mm Box Width 106 mm Length Length Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Visible bristle length	38 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Box Length 378 mm Box Width 283 mm Box Width 283 mm Box Width 110 mm Net Weight No	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Box Length Sox Width Sox Height S	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight 0,353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 7are total		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 88 Mery Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 80 ° C Max usage temperature (food contact) More Supposed to the series of	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 7 Tare total Gross Weight Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) 80 °C Max usage temperature (food contact) Model of the April 100 °C Max usage temperature (non food contact) No US D29/878021, EU US D29/8878021, EU US D29/878021, EU US D29/878021, EU US D29/878021, EU US D29/878021, EU US D29/8878021, EU US D29/8878021, EU US D29/88878021, EU US D29/88878021, EU US D29/88878021, EU US D29/88878 US D29/8887 US D29/8887 EV SD2/8887 EV SD2	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.005 kg Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.05 kg Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with California Proposition 65	Yes
Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.005 kg Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Complies with Halal and Kosher	Yes
Box Quantity	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Box Length 378 mm Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.005 kg Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Design Registration No.	015037869-0001, GB
Quantity Per Layer (Pallet)80 Pcs.Box Length378 mmBox Width283 mmBox Height166 mmLength230 mmWidth110 mmHeight68 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Quantity	10 Pcs.
Box Length Box Width Box Width Box Height Bo	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Box Width 283 mm Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 166 mm Length 230 mm Width 110 mm Height 68 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.002 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Box Length	378 mm
Length 230 mm Width 110 mm Height 68 mm Net Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Box Width	283 mm
Width 110 mm Height 68 mm Net Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Box Height	166 mm
Height68 mmNet Weight0.353 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.005 kgWeight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Length	230 mm
Net Weight 0.353 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.005 kg Weight cardboard (Recycling symbol "20" PAP) 0.022 kg Tare total 0.027 kg Gross Weight 0.38 kg Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C	Width	110 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Height	68 mm
(LDPE))Weight cardboard (Recycling symbol "20" PAP)0.022 kgTare total0.027 kgGross Weight0.38 kgCubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.353 kg
Tare total Gross Weight Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C		0.005 kg
Gross Weight Cubic metre 0.00172 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.022 kg
Cubic metre0.00172 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.027 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.38 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.00172 M3
Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) 100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature ³ -20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022039735
GTIN-14 Number (Box quantity)	15705028039743
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.